Pain, 42 (1990) 391–393
Elsevier

Author Index to Volume 42 (1990)

Aicher, S.A. and Randich, A.
Antinociception and cardiovascular responses produced by electrical stimulation in the nucleus tractus solitarius, nucleus reticularis ventralis, and the caudal medulla (42) 103
Arendt-Nielsen, L., Zachariae, R. and Bjerring, P.
Quantitative evaluation of hypnotically suggested hyperaesthesia and analgesia by painful laser stimulation (42) 243
Armstrong, S.J., see Devins, G.M. (42) 279
Aronin, N., see Chad, D.A. (42) 387
Atweh, S.F., see Saadé, N.E. (42) 313
Auriacombe, M., see Stinus, L. (42) 351

Bennett, G.J. and Hargreaves, K.M.
Reply to Dr. Hirata and his colleagues (42) 255
Bennett, G.J., see Sugimoto, T. (42) 205
Bereiter, D.A. and Gann, D.S.
Comparison of the influence of rostral and caudal raphe neurons on the adrenal secretion of catecholamines and on the release of adrenocorticotropin in the cat (42) 81
Besson, J.M., see Kayser, V. (42) 215
Bjerring, P., see Arendt-Nielsen, L. (42) 243
Blin, O., see Guieu, R. (42) 43
Bond, M., see Waddell, G. (42) 260
Boureau, F., Doubrère, J.F. and Luu, M.
Study of verbal description in neuropathic pain (42) 145
Bowsher, D., see Lahuerta, J. (42) 23
Brandt, S.A. and Livingston, A.
Receptor changes in the spinal cord of sheep associated with exposure to chronic pain (42) 323
Brena, S.F., see Rudy, T.E. (42) 167
Brody, M.C., see Rudy, T.E. (42) 167
Brooke, R.I., see Schnurr, R.F. (42) 153
Brøsen, K., see Sindrup, S.H. (42) 135
Bruera, E.
Response to Dr. I.M.C. Clarke's letter concerning our paper 'Non-cardiogenic pulmonary edema after narcotic treatment for cancer pain' (42) 127
Buckelew, S.P., Shutty, Jr., M.S., Hewett, J., Landon, T., Morrow, K. and Frank, R.G.
Health locus of control, gender differences and adjustment to persistent pain (42) 287
Buckle, S., see Devins, G.M. (42) 279
Burgess, E.D., see Devins, G.M. (42) 279

Campbell, J., see Lahuerta, J. (42) 23
Carpenter, R.L., see Johnson, P.W. (42) 201
Chad, D.A., Aronin, N., Lundstrom, R., McKeon, P., Ross, D., Molitch, M., Schipper, H.M., Stall, G., Dyess, E. and Tarsy, D.
Does capsaicin relieve the pain of diabetic neuropathy? (42) 387
Cherry, D.A., see Gourlay, G.K. (42) 383
Cherry, D.A., see Plummer, J.L. (42) 121
Cheshire, W.P. and Snyder, C.R.
Treatment of reflex sympathetic dystrophy with topical capsaicin. Case report (42) 307
Clarke, I.M.C.
'Non-cardiogenic pulmonary edema after narcotic treatment for cancer pain,' by Bruera and Miller (*Pain*, 39 (1989) 297–300) (42) 125
Cmielewski, P.L., see Plummer, J.L. (42) 121
Collins, J.G., see Hirata, H. (42) 253
Cousins, M.J., see Gourlay, G.K. (42) 383
Cousins, M.J., see Plummer, J.L. (42) 121
Craig, K.D., see Grunau, R.V.E. (42) 295

Davies, R.P., see Plummer, J.L. (42) 121
De Campos, D.I., see Ferreira, S.H. (42) 365
DeVeber, L., see Kapelushnik, J. (42) 31
Devins, G.M., Armstrong, S.J., Mandin, H., Paul, L.C., Hons, R.B., Burgess, E.D., Taub, K., Schorr, S., Letourneau, P.K. and Buckle, S.
Recurrent pain, illness intrusiveness, and quality of life in end-stage renal disease (42) 279
Devor, M. and Raber, P.
Heritability of symptoms in an experimental model of neuropathic pain (42) 51
Dickenson, A.H., Sullivan, A.F. and McQuay, H.J.
Intrathecal etorphine, fentanyl and buprenorphine on spinal nociceptive neurones in the rat (42) 227
Doubrère, J.F., see Boureau, F. (42) 145
Dyess, E., see Chad, D.A. (42) 387

Edelbroek, P.M., see Zitman, F.G. (42) 35
Eshøj, O., see Sindrup, S.H. (42) 135
Evans, P.J.D., see Williams, K.N. (42) 197

Ferreira, S.H., Lorenzetti, B.B. and De Campos, D.I.
Induction, blockade and restoration of a persistent hypersensitive state (42) 365
Frank, R.G., see Buckelew, S.P. (42) 287

0304-3959/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Gamsa, A.
Is emotional disturbance a precipitator or a consequence of chronic pain? (42) 183
Gann, D.S., see Bereiter, D.A. (42) 81
Gebhart, G.F., see Zhuo, M. (42) 337
Gobeaux, D., see Kayser, V. (42) 215
Goldstein, F.J., Malseed, R.T. and Nutz, J.F.
Effects of chronic clomipramine on central DADLE antinociception (42) 331
Gourlay, G.K., Plummer, J.L., Cherry, D.A. and Cousins, M.J.
Does intravenous methadone provide longer lasting analgesia than intravenous morphine? (42) 383
Gourlay, G.K., see Plummer, J.L. (42) 121
Gram, L.F., see Sindrup, S.H. (42) 135
Greenberg, M., see Kapelushnik, J. (42) 31
Grochow, L., Sheidler, V. and Grossman, S.
Does intravenous methadone provide longer analgesia than intravenous morphine? Response (42) 385
Grossman, S., see Grochow, L. (42) 385
Grunau, R.V.E., Johnston, C.C. and Craig, K.D.
Neonatal facial and cry responses to invasive and non-invasive procedures (42) 295
Guieu, R., Tardy-Gervet, M.F., Blin, O. and Pouget, J.
Pain relief achieved by transcutaneous electrical nerve stimulation and/or vibratory stimulation in a case of painful legs and moving toes (42) 43
Guilbaud, G., see Kayser, V. (42) 215

Hargreaves, K.M., see Bennett, G.J. (42) 255
Hewett, J., see Buckelew, S.P. (42) 287
Hirata, H., Pataky, A., Kajander, K., LaMotte, R.H. and Collins, J.G.
A model of peripheral mononeuropathy in the rat (42) 253
Hole, K., see Rosland, J.H. (42) 235
Holroyd, K.A. and Penzien, D.B.
Pharmacological versus non-pharmacological prophylaxis of recurrent migraine headache: a meta-analytic review of clinical trials (42) 1
Hons, R.B., see Devins, G.M. (42) 279

Jabbur, S.J., see Saadé, N.E. (42) 313
Jackowski, A., see Williams, K.N. (42) 197
Johnson, P.W. and Carpenter, R.L.
Temporary increase in leg pain resulting from lumbar sympathetic blockade (42) 201
Johnston, C.C., see Grunau, R.V.E. (42) 295

Kajander, K., see Hirata, H. (42) 253
Kajander, K.C., see Sugimoto, T. (42) 205
Kapelushnik, J., Koren, G., Solh, H., Greenberg, M. and DeVeber, L.
Evaluating the efficacy of EMLA in alleviating pain associated with lumbar puncture; comparison of open and double-blinded protocols in children (42) 31
Kayser, V., Gobeaux, D., Lombard, M.C., Guilbaud, G. and Besson, J.M.
Potent and long lasting antinociceptive effects after injection of low doses of a mu-opioid receptor agonist, fentanyl, into the brachial plexus sheath of the rat (42) 215
Koren, G., see Kapelushnik, J. (42) 31

Lahuerta, J., Bowsher, D., Campbell, J. and Lipton, S.
Clinical and instrumental evaluation of sensory function before and after percutaneous anterolateral cordotomy at cervical level in man (42) 23
LaMotte, R.H., see Hirata, H. (42) 253
Lander, J.
Clinical judgments in pain management (42) 15
Landon, T., see Buckelew, S.P. (42) 287
Larson, A.A., see Smullin, D.H. (42) 93
Le Moal, M., see Stinus, L. (42) 351
Letourneau, P.K., see Devins, G.M. (42) 279
Levitt, M.
Response to letter to the editor by P.W. Nathan (*Pain*, 40 (1990) 239–240) (42) 256
Limoge, A., see Stinus, L. (42) 351
Linssen, A.C.G., see Zitman, F.G. (42) 35
Lipton, S., see Lahuerta, J. (42) 23
Livingston, A., see Brandt, S.A. (42) 323
Lombard, M.C., see Kayser, V. (42) 215
Lorenzetti, B.B., see Ferreira, S.H. (42) 365
Lundstrom, R., see Chad, D.A. (42) 387
Luu, M., see Boureau, F. (42) 145

Mæhle, B., see Rosland, J.H. (42) 235
Malseed, R.T., see Goldstein, F.J. (42) 331
Mandin, H., see Devins, G.M. (42) 279
Margoles, M.S.
Clinical assessment and interpretation of abnormal illness behaviour in low back pain, G. Waddell, I. Pilowsky and M. Bond, *Pain*, 39 (1989) 41–53 (42) 258
Max, M.B.
Towards physiologically based treatment of patients with neuropathic pain (42) 131
McKeon, P., see Chad, D.A. (42) 387
McQuay, H.J., see Dickenson, A.H. (42) 227
Mikulincer, M., see Mittwoch, T. (42) 373
Mittwoch, T., Weisenberg, M. and Mikulincer, M.
The influence of warning signal timing and cognitive preparation on the aversiveness of electric shock (42) 373
Mogensen, E.F., see Sindrup, S.H. (42) 135
Molitch, M., see Chad, D.A. (42) 387
Morrow, K., see Buckelew, S.P. (42) 287

Nutz, J.F., see Goldstein, F.J. (42) 331

Pappas, G.D., see Sagen, J. (42) 69
Pataky, A., see Hirata, H. (42) 253
Paul, L.C., see Devins, G.M. (42) 279
Penzien, D.B., see Holroyd, K.A. (42) 1
Pilowsky, I., see Waddell, G. (42) 260
Plummer, J.L., Cmielewski, P.L., Gourlay, G.K., Cherry, D.A., Cousins, M.J., Szep, P.F. and Davies, R.P.

Leakage of fluid administered epidurally to rats into subcutaneous tissue (42) 121
Plummer, J.L., see Gourlay, G.K. (42) 383
Pouget, J., see Guieu, R. (42) 43

Raber, P., see Devor, M. (42) 51
Randich, A., see Aicher, S.A. (42) 103
Rollman, G.B., see Schnurr, R.F. (42) 153
Rosland, J.H., Tjølsen, A., Mæhle, B. and Hole, K.
The formalin test in mice: effect of formalin concentration (42) 235
Ross, D., see Chad, D.A. (42) 387
Rudy, T.E., Turk, D.C., Brena, S.F., Stieg, R.L. and Brody, M.C.
Quantification of biomedical findings of chronic pain patients: development of an index of pathology (42) 167

Saadé, N.E., Atweh, S.F., Jabbur, S.J. and Wall, P.D.
Effects of lesions in the anterolateral columns and dorsolateral funiculi on self-mutilation behavior in rats (42) 313
Sagen, J., Wang, H. and Pappas, G.D.
Adrenal medullary implants in the rat spinal cord reduce nociception in a chronic pain model (42) 69
Schipper, H.M., see Chad, D.A. (42) 387
Schnurr, R.F., Brooke, R.I. and Rollman, G.B.
Psychosocial correlates of temporomandibular joint pain and dysfunction (42) 153
Schorr, S., see Devins, G.M. (42) 279
Sheidler, V., see Grochow, L. (42) 385
Shutty, Jr., M.S., see Buckelew, S.P. (42) 287
Sindrup, S.H., Gram, L.F., Brøsen, K., Eshøj, O. and Mogensen, E.F.
The selective serotonin reuptake inhibitor paroxetine is effective in the treatment of diabetic neuropathy symptoms (42) 135
Skilling, S.R., see Smullin, D.H. (42) 93
Smullin, D.H., Skilling, S.R. and Larson, A.A.
Interactions between substance P, calcitonin gene-related peptide, taurine and excitatory amino acids in the spinal cord (42) 93
Snyder, C.R., see Cheshire, W.P. (42) 307
Solh, H., see Kapelushnik, J. (42) 31
Stall, G., see Chad, D.A. (42) 387
Stieg, R.L., see Rudy, T.E. (42) 167
Stijnen, T., see Zitman, F.G. (42) 35
Stinus, L., Auriacombe, M., Tignol, J., Limoge, A. and Le Moal, M.
Transcranial electrical stimulation with high frequency intermittent current (Limoge's) potentiates opiate-induced analgesia: blind studies (42) 351
Sugimoto, T., Bennett, G.J. and Kajander, K.C.
Transsynaptic degeneration in the superficial dorsal horn after sciatic nerve injury: effects of a chronic constriction injury, transection, and strychnine (42) 205
Sullivan, A.F., see Dickenson, A.H. (42) 227
Szep, P.F., see Plummer, J.L. (42) 121

Tardy-Gervet, M.F., see Guieu, R. (42) 43
Tarsy, D., see Chad, D.A. (42) 387
Taub, K., see Devins, G.M. (42) 279
Tignol, J., see Stinus, L. (42) 351
Tjølsen, A., see Rosland, J.H. (42) 235
Turk, D.C., see Rudy, T.E. (42) 167

Waddell, G., Pilowsky, I. and Bond, M.
Non-anatomical symptoms and signs: a response to critics (42) 260
Wahren, L.K.
Changes in thermal and mechanical pain thresholds in hand amputees. A clinical and physiological long-term follow-up (42) 269
Wall, P.D.
A genetic factor in the reaction of rats to peripheral nerve injury (42) 49
Wall, P.D., see Saadé, N.E. (42) 313
Wang, H., see Sagen, J. (42) 69
Weisenberg, M., see Mittwoch, T. (42) 373
Williams, K.N., Jackowski, A. and Evans, P.J.D.
Epidural haematoma requiring surgical decompression following repeated cervical epidural steroid injections for chronic pain (42) 197

Zachariae, R., see Arendt-Nielsen, L. (42) 243
Zhuo, M. and Gebhart, G.F.
Characterization of descending inhibition and facilitation from the nuclei reticularis gigantocellularis and gigantocellularis pars alpha in the rat (42) 337
Zitman, F.G., Linssen, A.C.G., Edelbroek, P.M. and Stijnen, T.
Low dose amitriptyline in chronic pain: the gain is modest (42) 35